

Wrecking Ball 75976 Lighting Kit

Package contents:

- 1 x 15cm Warm White Dot Light
- 1 x 15cm Blue Dot Light
- 4 x 15cm Flashing Warm White Dot Lights
- 1 x 15cm Multi Colour Flashing Light
- 1 x 8-port Expansion Board
- 1 x USB Cable

Extra LEGO pieces

Instructions for installing this kit:

OK, Let' s Begin!

Start from installing lights for the cannons. Unfold the 4 legs as per below




Unfold the cannons, remove one of them



Disconnect the following pieces



Take a flashing warm white 15cm dot light, a trans yellow 1x1 piece, thread the light through the black piece as per below




Pull the cable out till the light is placed against the hole, secure the light with the trans yellow piece.





Reconnect the black piece back to the orange piece with hole, thread the cable through the hole. (Note: do not break the cable when reconnecting the piece.)







Continue to thread the cable through the following piece, reconnect the piece





ake another flashing warm white 15cm dot light, a trans yellow 1x1 piece, thread the light through the black piece, secure it with the trans yellow piece





Reconnect the red piece, thread the cable through the hole on the orange piece. (Note: do not break the cable when reconnecting the piece.)




Reconnect the piece. (Note: do not break the cable when reconnecting the piece.)



Reconnect the canon, remove the baffle from the back



Take the 8-port Expansion Board, connect the cables from the cannons to it



Tuck excess cables, stick the 8-port Expansion Board to the following place with the adhesive squares




Take 2 flashing warm white 15cm dot lights, 2 trans yellow 1x1 piece, repeat the steps above to install lights for the other 2 side cannons

Move onto installing light for the canon at the font. Remove the following round green piece



Take a 15cm Multi Colour Flashing Light, a trans white 1x1 piece, remove the following pieces





Place the light at the center of the following piece, secure it with the trans white 1x1 piece




Thread the cable through the hole at the center of the black round piece.




Reconnect the piece back to the mech, place the cable alongside the mech to the back




Connect the cable to expansion board



Continue to install lights for the bottom. Remove the following pieces




Take a blue 15cm dot light, place it at the following place



Reconnect the round gray piece to secure the light, reconnect the other pieces we removed before



Connect the cable to the expansion board



Open the roof of the mech



Remove the roof, and disassemble it as per below




Take a warm white 15cm dot light, a trans round 2x2 piece, connect the cable to the following place




Secure the light with the 2x2 trans piece, reconnect the pieces we removed before




Reconnect the roof, connect the cable to the expansion board



Take the USB cable, connect it to the expansion board



Reconnect the baffle



This completes installation of this LED Lighting Kit. ENJOY!

